



BARNETT™

— EST. 1962 —



- ▶ We pioneered the modern crossbow movement more than 60 years ago... and have never stopped. Barnett has become the world's #1 producer of crossbows because we scrutinize every aspect of every crossbow. Focusing on precision, safety and performance — we take care of the details so you can take care of business.


TRIGGERTECH
 Precise Trigger Control

The patented TriggerTech ADF (anti-dry fire) trigger allows you to squeeze off shots with a pull of just 3 pounds. Its Frictionless Release Technology™ produces an incredibly responsive touch that generates smooth and repeatable shots every time.

U.S. PATENT: 9,097,485

SAFETY FIRST

Safety and ethics are the cornerstones of hunting. Make decisions in the field that not only keep you safe, but also reflect well on the hunting community as a whole.

1. CHECK EQUIPMENT

Inspect all your gear and equipment (crossbow, string, cables, bolts, etc.) prior to each use – ensuring your crossbow is properly assembled and in good condition. Do not use a damaged crossbow or equipment.

2. HAND SAFETY

Never place fingers or thumbs on, in or near the arrow/flight track, the string and/or the cables. Placing fingers or thumbs on, in or near the arrow/flight track, the string and/or the cables may result in serious injury, including finger and/or thumb amputation.

3. TRIGGER SAFETY

Keep your finger off the trigger and the safety engaged until you're ready to shoot. Re-engage the safety if you don't end up shooting.

4. HANDLING YOUR CROSSBOW

Always point your crossbow in a safe direction (i.e. where there is not anything or anyone who might be damaged if the crossbow discharged) at all times – regardless of whether your crossbow is loaded or not.

5. DRY FIRING

Never "dry fire" (i.e., release a cocked crossbow string without a recommended arrow properly loaded into the receiver) your crossbow. Dry firing a Barnett crossbow will immediately void your warranty and result in catastrophic damage to the crossbow. Should your Barnett crossbow dry fire, it must be inspected by a qualified Barnett service representative prior to further use. Failure to follow these instructions may result in serious injury!

6. ARROW SELECTION

Only load properly spined (stiffness), sized (length) and weighted arrows with moon or half-moon nocks into your crossbow. All Barnett crossbows come equipped with compatible arrows; consult your local retailer if you need more.

7. PROPER LOADING

Check to make sure the crossbow is fully cocked and the arrow is properly loaded into your crossbow before firing.

8. PROPER DE-COCKING

The only way to de-cock your crossbow is to shoot it into a safe target. Never attempt to de-cock your crossbow by hand or with a rope cocking device. Attempting to do so puts you at risk of personal injury.

9. WHAT TO WEAR

Always wear quality, close-toed shoes or boots while operating a crossbow. Never operate in flip flops, slippers, sandals or barefoot.

10. BASIC MAINTENANCE

Check the string and cables for any signs of fraying; replace them before further use if you see any frays. To extend the life of your string and cables, apply lube wax to these areas every 5 to 10 shots or if you see any "white fuzz" begin to appear. Failure to follow these instructions may result in a break during use, which may damage your bow or cause injury.



1 INTEGRATED CRANK AVAILABLE

Easily remove the cheek piece and install a compatible crank cocking device.



2 METAL INJECTION MOLDED TRIGGER

MIM triggers have the tightest quality tolerance available.



3 ANTI-DRY FIRE TRIGGER (ADF)

A spring-loaded safety bar remains in place until the arrow is seated properly to protect the user from shooting the crossbow without an arrow fully loaded.



4 STEP-THROUGH RISER (STR)

By integrating the foot stirrup directly into the riser assembly, step-through riser designs lengthen the power stroke without placing the cocking string beyond arm's length.



5 CARBONLITE RISER

Barnett's patented carbonlite design removes nearly 43% of weight from the front of the crossbow. This shifts the balance point to the shoulder so you have more control.



6 TRIGGERTECH

Three pounds of zero-creep release and all stainless steel components, the nock sensor and ADF eliminate dry fires.



7 SOFT-LOK™ FLOATING BRISTLE ARROW RETAINER U.S. PATENT: 9,395,143



8 PREMIUM ILLUMINATED SCOPE



9 CNC MACHINED PICATINNY SCOPE MOUNT



10 CNC MACHINED ALUMINUM FLIGHT TRACK



11 FINGER REMINDERS AND PASS-THROUGH FOREGRIP



12 CUSTOM COMPOSITE LAMINATED LIMBS



13 BUTT PAD



14 CNC MACHINED CAMS



15 CROSSWIRE® STRING & CABLE SYSTEM



16 SIDE MOUNT QUIVER



17 HEADHUNTER™ ARROWS
CUSTOM CARBON ARROWS

BARNETT CROSSBOWS COME MOSTLY ASSEMBLED

Use the provided nose bolt to connect the riser and stock for final assembly. No other bolts needed.

NEW

HYPERGHOST™ 425



The HyperGhost™ 425 puts the power in crossbow hunters' hands to take down game with a single shot. Part of the all-new Hyper™ series, this high-performance crossbow comes packaged with Barnett's exclusive HyperFlite™ arrows. These .204" small diameter arrows, designed exclusively for use with Hyper crossbows, harness incredible strength and power. Ultra-deep penetration combined with 425 feet per second of unstoppable speed – all it takes is one lethal hit to finish the job. Premium enhancements like a complete accessories package (including a 1.5 x 5 x 32 illuminated scope), CNC machined aluminum flight track, retractable counterbalance underarm support, Soft Lok™ floating bristle arrow retainer and anti-dry fire TriggerTech™ trigger make the HyperGhost 425 almost too good to be true. But you're not seeing things; this ghost is real.

- + Exclusive HyperFlite™ Arrow Compatibility
- + Metal Injection Molded (MIM) Trigger
- + Soft Lok™ Floating Bristle Arrow Retainer
- + TriggerTech Frictionless Release Technology
- + Single Bolt Assembly
- + Anti-Dry Fire (ADF) Trigger System
- + CNC Machined Aluminum Flight Track
- + Four Picatinny Rails
- + Pass-Through Foregrip
- + Retractable Counterbalance Underarm Support (RUCS)
- + Pre-Installed String Dampeners
- + Step-Through Riser

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
425	206 LBS	152 FT LBS	16.3"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
7.7 LBS	17.6"	36.25" x 20.375"	MOSTLY ASSEMBLED

INCLUDES

- + Three 22" HyperFlite™ Arrows
- + Premium 1.5 x 5 x 32 Illuminated Scope
- + Rope Cocking Sled
- + Side-Mount Quiver
- + Lubrication Wax

BAR78219

UPC

0 42609 01134 6

MOSSY OAK
ORIGINAL
TREESTAND



U.S. PATENTS: 9,097,485; 9,255,755; 6,901,921; 9,395,143; 9,453,699



NEW

HYPERGHOST™ 405



Say hello to the all-new Hyper™ series: Barnett's fastest, hardest-hitting hunting crossbows ever. The HyperGhost™ 405 features a new upgraded stock and our patented step-through riser. Three included Hyperflite™ arrows designed exclusively for use with Hyper crossbows put the power of a .204" small diameter arrow in your hands to hammer through any whitetail or large game. Another patented addition: the Retractable Underarm Counter Balance Support (RUCS) hooks under the shooter's arm to counteract the weight of the riser for a balanced, secure grip when shouldering the weapon. All that plus a monochromatic Mossy Oak® Treestand finish with skull detail and blistering 405 feet per second speeds make this a crossbow unlike any other.

- + Exclusive HyperFlite™ Arrow Compatibility
- + Metal Injection Molded (MIM) Trigger
- + Soft Lok™ Floating Bristle Arrow Retainer
- + TriggerTech Frictionless Release Technology
- + Single Bolt Assembly
- + Anti-Dry Fire (ADF) Trigger System
- + CNC Machined Aluminum Flight Track
- + Four Picatinny Rails
- + Pass-Through Foregrip
- + Retractable Counterbalance Underarm Support (RUCS)
- + Pre-Installed String Dampeners
- + Step-Through Riser

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
405	185 LBS	138 FT LBS	16.3"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
7.7 LBS	17.6"	36.25" x 20.375"	MOSTLY ASSEMBLED

INCLUDES

- + Three 22" HyperFlite™ Arrows
- + Premium 1.5 x 5 x 32 mm Illuminated Scope
- + Rope Cocking Sled
- + Side-Mount Quiver
- + Lubrication Wax

BAR78218

UPC

0 42609 01117 9

MOSSY OAK
Treestand
MONOCHROMATIC




U.S. PATENTS: 9,097,485; 9,255,755; 6,901,921; 9,395,143; 9,453,699



NEW

HYPERFLITE™ CROSSBOW ARROW

If you thought crossbows could only shoot standard diameters – think again. Introducing the HyperFlite™ arrow: Barnett's revolutionary small diameter arrow designed specifically for use with Hyper™ series crossbows. The power and speed of a crossbow combined with the precision and penetration of a .204" arrow deliver hits unlike anything you've ever seen. All that plus a .001" straightness make the HyperFlite™ just about as close to perfect as you can get.



FEATURES

- + Designed for use with Barnett's Hyper™ crossbows
- + Small diameter arrow increases penetration by up to 62% compared to regular crossbow arrows
- + 17.9% front of center for maximum downrange accuracy (with 100 grain field point)
- + Small diameter for greater penetration

LENGTH	STRAIGHTNESS	INNER DIA.	KNOCK	OUTSERT
22"	.001	.204	METAL	R.O.C. 204

VARIETY	MODEL	UPC
3 PACK	BAR20018	0 42609 01136 0
5 PACK	BAR20017	0 42609 01137 7

ONLY FOR USE WITH HYPERFLITE™ & HYPERGHOST™ CROSSBOWS.
DO NOT USE ON ANY OTHER CROSSBOW MODEL.





TRU BARK HD



U.S. PATENTS: 9,097,485; 9,255,755; 6,901,921; 9,395,143

WHITETAIL PRO™ STR



- + Fiberglass composite step-through riser
- + Soft-lok™ floating bristle arrow retainer
- + ADF (anti-dry fire) trigger system
- + MIM (metal injection molded) trigger
- + CNC machined aluminum flight track
- + One picatinny rail
- + Crank cocking device compatible
- + String dampeners
- + Finger safety reminders
- + Pass-through foregrip

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
400	165 LBS	140 FT LBS	16.375"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
6.9 LBS	17.625"	36.5"x 20"	MOSTLY ASSEMBLED

INCLUDES

- + 4 X 32 illuminated scope
- + Rope cocking device
- + Side mount quiver
- + Two 22" headhunter arrows
- + Lube wax

BAR78004

UPC

0 42609 00004 3



REALTREE X-BOW



U.S. PATENTS: 9,097,485; 9,255,755; 6,901,921; 9,395,143

RAPTOR PRO™ STR



- + Fiberglass composite step-through riser
- + Soft-lok™ floating bristle arrow retainer
- + ADF (anti-dry fire) trigger system
- + MIM (metal injection molded) trigger
- + CNC machined aluminum flight track
- + One picatinny rail
- + Crank cocking device compatible
- + String dampeners
- + Finger safety reminders
- + Pass-through foregrip

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
400	165 LBS	140 FT LBS	16.375"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
6.9 LBS	17.625"	36.5"x 20"	MOSTLY ASSEMBLED

INCLUDES

- + 4 X 32 illuminated scope
- + Rope cocking device
- + Side mount quiver
- + Two 22" headhunter arrows
- + Lube wax

BAR78005

UPC

0 42609 00009 8



BREAK-UP COUNTRY MOSSY OAK



U.S. PATENTS: 9,097,485; 9,255,755; 6,901,921; 9,395,143

DROPTINE™ STR



- + Fiberglass composite step-through riser
- + Soft-lok™ floating bristle arrow retainer
- + ADF (anti-dry fire) trigger system
- + MIM (metal injection molded) trigger
- + CNC machined aluminum flight track
- + One picatinny rail
- + Crank cocking device compatible
- + String dampeners
- + Finger safety reminders
- + Pass-through foregrip

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
385	155 LBS	125 FT LBS	15.75"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
6.9 LBS	18.125"	36"x 20"	MOSTLY ASSEMBLED

INCLUDES

- + 4 X 32 scope
- + Rope cocking device
- + Side mount quiver
- + Two 22" headhunter arrows
- + Lube wax

BAR78003

UPC

0 42609 00005 0

*SPEED TEST USING 380-GRAIN ARROW. CROSSBOWS SHOWN WITH OPTIONAL ACCESSORIES.

NEW

WHITETAIL HUNTER STR™

- + TriggerTech Frictionless Release Technology™
- + Single Bolt Assembly
- + Fiberglass Composite Step-Through Riser
- + Soft-Lok™ Floating Bristle Arrow Retainer
- + Anti-Dry Fire (ADF) Trigger System
- + Metal Injection Molded (MIM) Trigger
- + Custom Composite Laminated Limbs
- + One Picatinny Rail
- + Crank Cocking Device Compatible
- + Finger Safety Reminders
- + Pass-through foregrip

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
375	180 LBS	118 FT LBS	15.437"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
6.6 LBS	18.125"	34.875"x 20.125"	MOSTLY ASSEMBLED

INCLUDES

- + 4x32mm Multi-Reticle Scope
- + Two 22" Headhunter™ Arrows
- + Lightweight Quiver
- + Rope Cocking Device
- + Lube Wax

BAR78263

UPC

0 42609 01118 6

TS 390™

- + Fiberglass composite step-through riser
- + Soft-lok™ floating bristle arrow retainer
- + ADF (anti-dry fire) trigger system
- + MIM (metal injection molded) trigger
- + CNC machined aluminum flight track
- + Three picatinny rails
- + Crank cocking device compatible
- + Adjustable butt stock
- + String dampeners
- + Finger safety reminders
- + Pass-through foregrip

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
390	187 LBS	128 FT LBS	14.25"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
7.6 LBS	16.75"	36.25"x 18.875"	MOSTLY ASSEMBLED

INCLUDES

- + 4 X 32 illuminated scope
- + Rope cocking device
- + Side mount quiver
- + Two 22" headhunter arrows
- + Lube wax

BAR78000

UPC

0 42609 00002 9

TS 370™

- + Fiberglass composite step-through riser
- + Soft-lok™ floating bristle arrow retainer
- + ADF (anti-dry fire) trigger system
- + MIM (metal injection molded) trigger
- + CNC machined aluminum flight track
- + One picatinny rail
- + Crank cocking device compatible
- + String dampeners
- + Finger safety reminders
- + Pass-through foregrip

FEET PER SECOND	DRAW WEIGHT	KINETIC ENERGY	POWER STROKE
370	187 LBS	115 FT LBS	12.5"
OVERALL WEIGHT	AXLE TO AXLE	DIMENSIONS	ASSEMBLY
6.9 LBS	16.125"	36.375"x 8.625"	MOSTLY ASSEMBLED

INCLUDES

- + 4 X 32 illuminated scope
- + Rope cocking device
- + Side mount quiver
- + Two 22" headhunter arrows
- + Lube wax

BAR78001

UPC

0 42609 00006 7



MOSSY OAK
BOTTOMLAND



U.S. PATENTS: 9,255,755; 9,395,143; 6,901,921; 9,097,485; 9,453,699



DIGITAL GRAY



U.S. PATENTS: 9,097,485; 9,255,755; 6,901,921; 9,395,143



BLACK



U.S. PATENTS: 9,097,485; 9,255,755; 6,901,921; 9,395,143

*SPEED TEST USING 380-GRAIN ARROW. CROSSBOWS SHOWN WITH OPTIONAL ACCESSORIES.



CROSSBOW ARROWS (5-PACK)

VARIETY	MODEL	UPC
18" BARNETT ALUMINUM	16107	0 42609 16107 2
20" HEADHUNTER™ CARBON	16075	0 42609 16075 4
22" HEADHUNTER™ CARBON	16079	0 42609 16079 2

Barnett 18" and Headhunter™ 20" and 22" arrows specifically made for superior performance. Each arrow includes field points and half-moon nocks.



THUMP DECELERATOR DE-COCKING ARROW

- + Unique impact breaking system
- + Re-usable design
- + Safety arrow head
- + Fits any quiver

THUMP 1-ARROW DE-COCKING SYSTEM

17525	UPC	0 42609 17525 3
-------	-----	-----------------

THUMP 3-PACK DE-COCKING SYSTEM

17526	UPC	0 42609 17526 0
-------	-----	-----------------



EVAC CROSSBOW DEACTIVATION BOLTS

- + De-cocking bolts for a safe and controlled crossbow deactivation
- + 5 bolts included (500 grains each)
- + Glow in the dark for correct fletch and nock track alignment
- + Easily snaps into Barnett lightweight quiver

17190	UPC	0 42609 17190 3
-------	-----	-----------------



4 X 32 MULTI-RETICLE SCOPE

This waterproof, shock-resistant scope allows shooters to line up their shots at various yardage quickly and easily.

17060

UPC

0 42609 17060 9



ROPE COCKING DEVICE

This tool simplifies cocking any crossbow by decreasing the cocking tension by half. Handles allow for a firm hold and the rope may be adjusted to fit both the bow and user. Always use with the hooks facing up.

17014

UPC

0 42609 17014 2



LUBE WAX

Barnett's lube wax protects and extends the life of your crossbow's strings. Use after every five shots.

16061

UPC

0 42609 17455 8



PREMIUM RED DOT SIGHT

Simplify your shooting experience with this varying dot intensity sight.

17054

UPC

0 42609 17054 8



TALON™ CROSSBOW SLING

The Talon offers extreme grip - even in less than perfect conditions. Its quick-release feature helps release crossbows quickly and quietly without tools. Designed specifically for use with Barnett crossbows; adjustable from 32" to 40 inches.

17079

UPC

0 42609 17079 1



RAIL & LUBE WAX COMBO

Barnett's lube wax protects and extends the life of your crossbow's strings. Recommended for use every 5-10 shots.

BAR20002

UPC

0 42609 00027 2



CRANK COCKING DEVICE

Designed to be fully integrated into the crossbow stock for a low-profile, comfortable fit. The handle easily adjusts for right- or left-handed hunters and can be removed after each use. Reduces cocking tension by 17 pounds.

FOR POWER STROKE UNDER 16"

17455

UPC

0 42609 17455 3

FOR POWER STROKE OVER 16"

17450

UPC

0 42609 17455 8



**WHITETAIL HUNTER®
BALLISTIC CASE**

- + Fits all crossbows
- + Whitetail Hunter® camo
- + Two carrying handles
- + Shoulder strap
- + Backpack straps
- + Adjustable chest strap
- + Accessory storage pockets

17462

UPC

0 42609 17462 1



**TRUBARK® COMPACT
BALLISTIC CASE**

- + Fits all crossbows
- + Trubark® camo
- + Two carrying handles
- + Shoulder strap
- + Backpack straps
- + Adjustable chest strap
- + Accessory storage pockets

17463

UPC

0 42609 17463 8



**BLACKSPUR®
BALLISTIC CASE**

- + Fits all crossbows
- + Blackspur® camo
- + Two carrying handles
- + Shoulder strap
- + Backpack straps
- + Adjustable chest strap
- + Accessory storage pockets

17464

UPC

0 42609 17464 5



**SOFT-SIDED
CROSSBOW CASE**

- + Eva custom fit
- + Fits all crossbows
- + High-definition camo
- + Waterproof zipper
- + Ergonomically designed carrying handle
- + Pass-through foot stirrup hole for easy hanging
- + Padded for safe transport
- + 21"W x 35"H

BAR20001

UPC

0 42609 00008 1







NEW

VORTEX™ COMPOUND BOW

DRAW WEIGHT	DRAW LENGTH	AGE
19-45 LBS	22-27"	TEEN+
LET-OFF	AXLE TO AXLE	BRACE HEIGHT
60-70%	28"	7"

FEATURES

- + Constructed to ATA/AMO standards
- + Adjustable in 1" increments with included modules
- + Package serves as carrying case
- + Sight
- + Arrow rest
- + Three arrows and quiver



BAR1109MO

UPC

0 42609 01131 5

NEW

VORTEX™ LITE COMPOUND BOW

DRAW WEIGHT	DRAW LENGTH	AGE
18-29 LBS	22-25"	TEEN+
LET-OFF	AXLE TO AXLE	BRACE HEIGHT
60-70%	26.75"	6.5"

FEATURES

- + Constructed to ATA/AMO standards
- + Adjustable in 1" increments with included modules
- + Package serves as carrying case
- + Sight
- + Arrow rest
- + Three arrows and quiver



BAR1105MO

UPC

0 42609 01129 2

VORTEX™ H20 BOW FISHING BOW

DRAW WEIGHT	DRAW LENGTH	AGE
19-45 LBS	26.625-28"	TEEN+
LET-OFF	AXLE TO AXLE	BRACE HEIGHT
60-70%	28"	7"

FEATURES

- + Constructed to ATA/AMO standards
- + Adjustable in 1" increments with included modules
- + Package serves as carrying case
- + Sight
- + Arrow rest
- + Three arrows and quiver

1108

UPC

0 42609 01108 7



NEW

MOSSY OAK® VERTIGO™ COMPOUND

DRAW WEIGHT	DRAW LENGTH	AGE
25 LBS	18-22"	7-10

FEATURES

- + Ambidextrous riser
- + Soft-touch reinforced grip
- + Arrow rest
- + Finger rollers
- + Two arrows
- + Adjustable sight pin



BAR1265MO

UPC

0 42609 01101 8



NEW

MOSSY OAK® TOMCAT™ 2 COMPOUND

DRAW WEIGHT	DRAW LENGTH	AGE
17-22 LBS	20-22"	8-12
LET-OFF	AXLE TO AXLE	FINISH
60-70%	28"	GREEN

FEATURES

- + Parallel limb design greatly reduces hand shock
- + Right-handed bow
- + Soft-touch reinforced grip
- + Arrow rest
- + Soft-touch finger rollers
- + Two arrows and quiver
- + Three-pin fiber optic "Brightglo" sight



BAR1278MO

UPC

0 42609 01106 3



NEW

MOSSY OAK® CENTERSHOT™ COMPOUND

DRAW WEIGHT	DRAW LENGTH	AGES
17 LBS	18-23 INCHES	5-8

FEATURES

- + True ambidextrous shoot-through riser fits all archers
- + Soft-touch reinforced grip
- + Arrow rest
- + Soft-touch finger rollers
- + Two arrows and quiver
- + Adjustable sight pin



BAR200MO

UPC

0 42609 01126 1



NEW

MOSSY OAK® CENTERSHOT™ RECURVE

DRAW WEIGHT	DRAW LENGTH	AGES
15 LBS	17 INCHES	5-8

FEATURES

- + True ambidextrous shoot-through riser fits all archers
- + Soft-touch reinforced grip
- + Arrow rest
- + Soft-touch finger rollers
- + Two arrows and quiver
- + Adjustable sight pin



BAR100MO

UPC

0 42609 01128 5



NEW

MOSSY OAK® QUICKSILVER™ RECURVE

DRAW WEIGHT	DRAW LENGTH	AGE
15 LBS	18-22"	5-8

FEATURES

- + Ambidextrous riser
- + Soft-touch reinforced grip
- + Arrow rest
- + Finger rollers
- + Two arrows
- + Adjustable sight pin



BAR1276MO

UPC

0 42609 01102 5



NEW

MOSSY OAK® WILDHAWK™ COMPOUND

DRAW WEIGHT	DRAW LENGTH	AGE
18 LBS	20-22"	5-8

FEATURES

- + Parallel limb design greatly reduces hand shock
- + Right-handed bow
- + Soft-touch reinforced grip
- + Arrow rest
- + Soft-touch finger rollers
- + Two arrows and quiver
- + Three-pin fiber optic "Brightglo" sight



BAR1269MO

UPC

0 42609 01080 6



YOUTH ARCHERY ARROWS

- + Created specifically for Barnett™ youth archery products
- + Available in 3-pack

19007

UPC

0 42609 19007 2

SLINGSHOTS



PRO DIABLO™ SLINGSHOT

Upgrade to professional status. The three-piece stabilizer and adjustable sight take you to another level of slingshot accuracy.

- + Sight system
- + Wrist brace
- + Contoured soft-touch grip
- + Weighted stabilizer
- + Standard power bands
- + Complete shooting guide

17005

UPC

0 42609 17005 0



DIABLO™ SLINGSHOT

Get increased power and precision with the Diablo™. Complete with detachable wrist brace, this top-performer will fit you like a glove.

- + Detachable wrist brace
- + Contoured soft-touch grip
- + Weighted stabilizer
- + Standard power bands
- + Complete shooting guide

17066

UPC

0 42609 17066 1



COBRA™ SLINGSHOT

The Cobra™ revolutionizes slingshot design with increased performance and precision. Its one-of-a-kind front stabilizer and sight system add a new level of accuracy.

- + Extended detachable wrist brace
- + Magnum red power bands
- + Contoured soft-touch grip
- + Complete shooting guide
- + Ships with target ammo

16043

UPC

0 42609 16043 3



BLACK WIDOW™ SLINGSHOT

The design that changed slingshots forever: the Black Widow™ introduced the foldaway wrist brace for portability and storage.

- + Foldaway wrist brace
- + Standard bands

17018

UPC

0 42609 17018 0



STRIKE NINE™ SLINGSHOT

It's the ideal introduction to slingshots. The Strike Nine™ offers durable construction with solid range and accuracy.

- + Contoured soft-touch grip
- + Standard bands

17301

UPC

0 42609 17301 3



REPLACEMENT BANDS

- + Manufactured to fit all Barnett™ slingshots
- + Features leather pouch

VARIETY	MODEL	UPC
MAGNUM	16000	0 42609 16000 6
STANDARD	16045	0 42609 16045 7



SLINGSHOT AMMO

- + Great for target practice and hunting small animals
- + Specially designed for Barnett™ slingshots

VARIETY	MODEL	UPC
100-COUNT TRAINER	19204	0 42609 19204 5
50-COUNT STEEL	16087	0 42609 16087 7
140-COUNT STEEL	19205	0 42609 19205 2



SPITFIRE® BLOWGUN

Action and adventure that will take your breath away: Barnett's Spitfire® blowgun enables you to accurately launch suction-cup darts with just a puff of air.

- + Pack doubles as belt holster
- + One-way mouthpiece prevents dart inhalation
- + Two blow guns
- + Eight suction-cup darts
- + One multi-color target

1066

UPC

0 42609 01066 0