

1950 65 YEARS 2015

# DARTON

## ARCHERY

ARE YOU READY TO VIEW THE FUTURE OF ARCHERY DESIGN?



# FIREFORCE

DEADLY FAST!

SPECS	400	17 1/4"	185 LBS.	8.4 LBS.	24 3/8"	38"
	F.P.S. (400 GR.)	POWER STROKE	DRAW WEIGHT	MASS WEIGHT	AXLE-TO-AXLE	OVERALL LENGTH



FEATURED IN  
**SOFT TOUCH** by **VISTA**

THE FIREFORCE DRIPS WITH TESTOSTERONE; LARGER AXLES, SEALED OVERSIZED QUAD BALL BEARINGS, WIDE/STRONGER LAMINATED QUAD LIMBS, ALL COMBINED WITH A COMPACT FRONT RISER AND TACTICAL TYPE STOCK. DARTON'S DUALSYNC CAMS ADD PERFORMANCE AND ACCURACY IN A CROSSBOW THAT IS FLAT OUT FAST, DURABLE AND ACCURATE.

- DUALSYNC CAMS GUARANTEE YOU WILL NOCK YOUR ARROW AT THE SAME POINT ON THE BOWSTRING EVERY TIME FOR MORE CONSISTENT SHOOTING.
- DARTON TRACKLESS BARREL DESIGN. LESS FRICTION ON ARROW = INCREASED SPEED.
- NEW DESIGN ANTI DRY FIRE SAFETY.
- NEW RIFLE STYLE ROTATING SAFETY MOUNTED ON THE BARREL FOR LEFT- OR RIGHT-HANDED SHOOTERS. "HELPS TO HOLD ON THE SHOT WITHOUT HAVING TO MOVE"
- IMPROVED TRIGGER DESIGN, PULL SET AT 3 POUNDS WITH LESS TRIGGER TRAVEL
- POSITIVE LIMB ALIGNMENT SYSTEM FOR GREATER ACCURACY
- PATENTED STRING CATCH, DESIGNED FOR BETTER RELEASE OF THE BOWSTRING AND A MORE ACCURATE SHOT.
- EQUIPPED WITH AN INTEGRATED RISER/STRING SUPPRESSOR SYSTEM AND PATENTED BARREL DAMPENER TO HELP REDUCE NOISE AND VIBRATION. A NEW STANDARD IN LOW NOISE AND SHOCK.
- BOWSTRING 42 13/16", POWER CABLES 29 9/16"

# VIPER XTREME

XTREME PERFORMANCE!

SPECS	360	13 1/2"	180 LBS.	8.4 LBS.	17"	35 1/2"
	F.P.S. (400 GR.)	POWER STROKE	DRAW WEIGHT	MASS WEIGHT	AXLE-TO-AXLE	OVERALL LENGTH



VISTA



CARBON BLACK

FEATURED IN  
**SOFT TOUCH**

XTREME PERFORMANCE IS WHAT YOU GET FROM THIS COMPACT AND WELL BALANCED CROSSBOW. ENJOY SMOOTH, QUIET, SHOCK RESISTANT AND EXTREMELY ACCURATE SHOOTING. THIS CROSSBOW TAKES THE TARGET RANGES AND HUNTING ADVENTURES TO A NEW XTREME!

- DARTON TRACKLESS BARREL DESIGN. LESS FRICTION ON ARROW = INCREASED SPEED.
- NEW DESIGN ANTI DRY FIRE SAFETY.
- NEW RIFLE STYLE ROTATING SAFETY MOUNTED ON THE BARREL FOR LEFT- OR RIGHT-HANDED SHOOTERS. "HELPS TO HOLD ON THE SHOT WITHOUT HAVING TO MOVE"
- IMPROVED TRIGGER DESIGN, PULL SET AT 3 POUNDS WITH LESS TRIGGER TRAVEL
- POSITIVE LIMB ALIGNMENT SYSTEM FOR GREATER ACCURACY
- PATENTED STRING CATCH, DESIGNED FOR BETTER RELEASE OF THE BOWSTRING AND A MORE ACCURATE SHOT.
- EQUIPPED WITH AN INTEGRATED RISER/STRING SUPPRESSOR SYSTEM AND PATENTED BARREL DAMPENER TO HELP REDUCE NOISE AND VIBRATION. A NEW STANDARD IN LOW NOISE AND SHOCK.
- SIMS LIMBSAVER® TECHNOLOGY
- BOWSTRING 36 1/16", POWER CABLES 18 9/16"

# REBEL 135 SS

LIGHTWEIGHT & COMPACT!

SPECS	350	13 1/2"	180 LBS.	7.5 LBS.	17"	32"
	F.P.S. (400 GR.)	POWER STROKE	DRAW WEIGHT	MASS WEIGHT	AXLE-TO-AXLE	OVERALL LENGTH

PATENT PENDING

**NEW!**  
 FOR 2015



VISTA



Muddy Girl



CARBON BLACK

FEATURED IN  
**SOFT TOUCH**

FIRST ITEM OF INTEREST IS THE REBEL'S SHORT OVERALL LENGTH, A MODEST 32 INCHES, INCLUDING STIRRUP. THIS WAS MADE POSSIBLE THROUGH DARTON'S INNOVATED FORWARD TRIGGER DESIGN THAT RESULTED IN BENEFICIAL WEIGHT DISTRIBUTION, CREATING A NEW LEVEL OF COMFORT WHEN SHOOTING. THIS RE-DESIGN HAS CREATED THE LIGHTEST CROSSBOW TO DATE FOR DARTON AS THE REBEL TIPS THE SCALE AT LESS THAN 7.5 POUNDS. BECAUSE OF ITS WEIGHT DISTRIBUTION IT FEELS EVEN LIGHTER, (NOT READY FOR THE BIGGEST LOSER SHOW, BUT CLOSE). THE GUTS OF THE REBEL ARE ALL DARTON, BEING RELIABLE, SMOOTH, QUIET AND FAST AT 350 FPS. MOST OTHER CROSSBOWS CANNOT CLAIM ALL OF THESE QUALITIES IN ONE MODEL. THE REBEL IS EQUIPPED WITH ITS PROVEN ANTI-DRY FIRE SYSTEM, ENHANCED THUMB & FINGER GUARD, AMBIDEXTROUS SAFETY AND INTEGRATED STRING SUPPRESSORS ALONG WITH DARTON'S PATENTED BARREL DAMPENER. "USER SAFETY IS THE NUMBER ONE FACTOR DARTON CONSIDERS WHEN ENGINEERING ANY CROSSBOWS AND THE REBEL WAS NO DIFFERENT" STATED TED HARPHAM SALES MANAGER FOR DARTON. BEING LIGHT WEIGHT, SHORT, AND FEATURING A 13 1/2" POWER STROKE WITH A NARROW AXLE TO AXLE OF 17", THE REBEL CAN BE MANEUVER ANYWHERE: TREE STAND, GROUND BLIND OR AT THE EDGE OF THE FIELD HUNTING VARMINTS.

- ALL THE FEATURES YOU EXPECT FROM A DARTON CROSSBOW AND MORE!
- BOWSTRING 36 7/8", POWER CABLES 18 9/16"

# VIPER SS

DEADLY FAST & SILENT!

SPECS	340	13 1/2"	170 LBS.	8.4 LBS.	17"	35 1/2"
	F.P.S. (400 GR.)	POWER STROKE	DRAW WEIGHT	MASS WEIGHT	AXLE-TO-AXLE	OVERALL LENGTH



VISTA



Muddy Girl

FEATURED IN  
**SOFT TOUCH**

THE VIPER DELIVERS SATISFYING PERFORMANCE WITH ITS MODEST 170 LBS. DRAW WEIGHT. YOU WILL FIND THAT MOST HUNTERS WON'T BOTHER WITH A COCKING AID BECAUSE OF ITS UNIQUELY SMOOTH POWER STROKE. THIS COMPACT AND WELL BALANCED CROSSBOW HELPS MAKE SHOOTING FEEL EFFORTLESS. LIKE THE VIPER XTREME, ENJOY THE QUIET, SHOCK RESISTANT AND EXTREMELY ACCURATE SHOOTING ON YOUR NEXT HUNTING EXPERIENCE.

- DARTON TRACKLESS BARREL DESIGN. LESS FRICTION ON ARROW = INCREASED SPEED.
- NEW DESIGN ANTI DRY FIRE SAFETY.
- POSITIVE LIMB ALIGNMENT SYSTEM FOR GREATER ACCURACY
- EQUIPPED WITH AN INTEGRATED RISER/STRING SUPPRESSOR SYSTEM AND PATENTED BARREL DAMPENER TO HELP REDUCE NOISE AND VIBRATION. A NEW STANDARD IN LOW NOISE AND SHOCK.
- SIMS LIMBSAVER® TECHNOLOGY
- BOWSTRING 36 3/8", POWER CABLES 18 1/4"

# SCORPION

SPEED WITH A KILLER STING!

SPECS	335	13"	170 LBS.	7.8 LBS.	19-3/4"	35 1/2"
	F.P.S. (400 GR.)	POWER STROKE	DRAW WEIGHT	MASS WEIGHT	AXLE-TO-AXLE	OVERALL LENGTH



VISTA



Muddy Girl

THE SCORPION WAS ADDED TO THE DARTON CROSSBOW LINE FOR ITS COMPACT DESIGN AND LIGHTWEIGHT. THIS COMPACT FRAME WITH ITS TRIGGER FORWARD DESIGN AND KILLER SPEED HAS RAISED THE BAR IN CROSSBOW EVOLUTION. PROVEN PERFORMANCE, FEEL AND ACCURACY ARE WHAT YOU GET FROM THIS CROSSBOW.

- DARTON TRACKLESS BARREL DESIGN. TAKING CROSSBOW ACCURACY TO THE NEXT LEVEL.
- RECEIVER DESIGNED FOR A SMOOTH TRIGGER AND UPMOST SAFETY.
- NEWLY DESIGNED ANTI DRY FIRE SAFETY.
- EASIEST COCKING 170 POUND CROSSBOW YOU WILL EVER FIND. MOST HUNTERS WON'T BOTHER WITH A COCKING AID.
- POSITIVE LIMB ALIGNMENT SYSTEM FOR GREATER ACCURACY.
- EQUIPPED WITH AN INTEGRATED RISER/STRING SUPPRESSOR SYSTEM AND PATENTED BARREL DAMPENER TO HELP REDUCE NOISE AND VIBRATION. A NEW STANDARD IN LOW NOISE AND SHOCK.
- BOWSTRING 34 15/16", POWER CABLES 21 1/4"

1950 65 YEARS 2015

DARTON  
ARCHERY

## TERMINATOR II

PERFORMANCE AND VALUE!

SPECS	340	14"	165 LBS.	7.5 LBS.	24"	35"
	F.P.S. (400 GR.)	POWER STROKE	DRAW WEIGHT	MASS WEIGHT	AXLE-TO-AXLE	OVERALL LENGTH



VISTA



Muddy Girl

THE TRIGGER FORWARD DESIGN USED WITH THE TERMINATOR CROSSBOW ALLOWS FOR A LONGER POWER STROKE AND MORE PERFORMANCE WITH A BETTER BALANCED FEEL. ALL OF DARTON'S QUALITY COMPONENTS ARE USED WITH A NEW INTEGRATED COMPOSITE STOCK-BARREL PLATFORM TO GIVE YOU THE BEST VALUE IN CROSSBOW PERFORMANCE.

- A QUALITY CROSSBOW WITH OUTSTANDING PERFORMANCE AND SHOOTING COMFORT AT AFFORDABLE PRICE
- NEW DESIGN ANTI DRY FIRE SAFETY.
- POSITIVE LIMB ALIGNMENT SYSTEM FOR GREATER ACCURACY
- EQUIPPED WITH AN INTEGRATED RISER/STRING SUPPRESSOR SYSTEM AND PATENTED BARREL DAMPENER TO HELP REDUCE NOISE AND VIBRATION. A NEW STANDARD IN LOW NOISE AND SHOCK.
- BOWSTRING 36 7/8", POWER CABLES 25 1/4"

# BOW COMPARISON CHART

Item #	Model	Soft Touch Finish**	Limb Type	Cam System	Wheel Spec.	AMO Let-Off	Effect. Let-Off	Draw Length	Brace Height	Peak Weight	Axle-to-Axle	Mass Weight	IBO Speed (ps @ 30")
<b>Pro Series</b>													
9D3914	DS-3900	yes	QUAD-LL	DualSync-O	1-6 mod.	65-75%	80%	26 - 30"	5 1/2"	40,50,60,70	33 7/8"	4.0 lbs.	350-355
9D3814	DS-3800	yes	QUAD-L	DualSync-P	1-7 mod.	65-75%	80%	26 - 31"	6"	40,50,60,70	33 13/16"	4.1 lbs.	345-350
9D3714	DS-3700	yes	QUAD-L	DualSync-P	1-7 mod.	65-75%	80%	26 - 32"	7"	40,50,60,70	33 13/16"	4.1 lbs.	335-340
9D4514	DS-4500	yes	QUAD-C	DualSync-L	1-7 mod.	65-75%	80%	26 - 32"	7 1/2"	40,50,60,70	38 1/2"	4.0 lbs.	315-320
<b>Pro ST Series</b>													
9D4515	Vegas	yes	QUAD-C	DualSync-V	1-7 mod.	65-75%	80%	26.5 - 32.5"	8"	40,50,60,70	38 1/2"	4.6 lbs.	315-320
9D3725	Executive V	yes	QUAD-L	DualSync-V	1-7 mod.	65-75%	80%	24 - 30"	6 3/4"	40,50,60,70	33 13/16"	4.7 lbs.	335-340
9D3715	Executive W	yes	QUAD-L	DualSync-W	1-7 mod.	65-75%	80%	26 - 32"	7"	40,50,60,70	33 13/16"	4.7 lbs.	335-340
<b>Action Series</b>													
9D714	DS-700	yes	QUAD-B	DualSync-T	1 adj. mod.	70-75%	80%	27 - 30"	7"	40,50,60,70	30"	4.0 lbs.	330-335
9D714S	DS-700SD	yes	QUAD-B	DualSync-U	1 adj. mod.	70-75%	80%	24 - 28"	7"	40,50,60,70	30"	4.0 lbs.	N/A
9D614	DS-600	no	Straight-A	DualSync-E	1-6 mod.	75%	80%	25 - 30"	7 1/2"	40,50,60,70	31 3/8"	4.0 lbs.	305-310
9D214	Recruit	no	Straight-CA	DualSync-X	1-6 mod.	75-80%	80%	21 1/2 - 27"	6 3/4"	35 & 50	28 1/2"	3.1 lbs.	N/A
7218	Ranger X	no	Straight 1	PFS-5	*9 mods	35 - 70%	40 - 75%	17 - 28"	6 7/8"	15-50	32"	2.9 lbs.	N/A
7212	Aquaforce	no	Straight 2	PFS-6	Universal	35%	40%	23 -29 1/2"	7 7/8"	45-55	31 1/2"	3.1 lbs.	N/A

\*1A@35%, 1B@45% and 2-7 @70% \*\*Excluding Hi-Gloss Target Colors

# CROSSBOW COMPARISON CHART

Crossbow Model	Peak Weight	Power Stroke	Soft Touch Finish	X-Bow Weight	Hard Anodized Barrel	Sims LimbSaver® Technology	Teflon™ Coated Barrel	Precision Machined Arrow Track	Dry-Fire Prevention Mechanism	Barrel Dampener	Universal Weaver Scope Mount	Adjustable Butt Plate
FireForce	185#	17 1/4"	yes	8.4	yes	no	yes	yes	yes	yes	yes	yes
Viper Xtreme	180#	13 1/2"	yes	8.4	yes	yes	yes	yes	yes	yes	yes	yes
Rebel 135 SS	180#	13 1/2"	yes	7.5	yes	yes	yes	yes	yes	yes	yes	yes
Viper SS	170#	13 1/2"	yes	8.4	yes	yes	yes	yes	yes	yes	yes	yes
Scorpion	170#	13"	no	7.8	no	no	no	no	yes	yes	yes	no
Terminator II	165#	14"	no	7.5	no	no	no	no	yes	yes	yes	no
Crossbow Model	Item#	Machined Front Risers	Wheel Type	Machined Trigger Box Assembly	Gun-Style Safety Lh or Rh	Accepts Cocking Winch	Center Balance Point Design	Includes Bowstring Dampener System	Limb Type	Synthetic Split-Yoke Power Cables	Performance With 400 grain x 22" Arrow	Safety Engaged When Cocked
FireForce	9915	yes	DualSync	yes	yes	yes	yes	yes	Lam. Quad	no	400 fps	no
Viper Xtreme	9925	yes	Mach HEC	yes	yes	yes	yes	yes	Lam. Quad	yes	360 fps	no
Rebel 135 SS	9926	yes	Mach HEC	yes	no	no	yes	yes	Lam. Quad	yes	350 fps	yes
Viper SS	9920	yes	Mach HEC	yes	no	yes	yes	yes	Quad Straight	yes	340 fps	yes
Scorpion	9924	yes	Mach HEC	yes	no	yes	yes	yes	Quad Straight	yes	335 fps	yes
Terminator II	9916	yes	Mach HEC	yes	no	yes	yes	yes	Quad Straight	yes	340 fps	yes

Mach HEC = Machined High Energy Cam | Lam. Quad = Laminated Quad Limbs

# LIMITED LIFETIME WARRANTY

Darton Archery proudly stands behind the workmanship and quality of Darton bows and crossbows and offers a Limited Lifetime Warranty. This Warranty applies to the original owner and is nontransferable. This Warranty covers:

- Riser and Stock against defects in material and workmanship for the lifetime of the product.
- Limbs and Cams against defects in material and workmanship for ten (10) years from the original date of purchase based on Pro-Rated terms and the warranty as written in our current technical service manuals.

Items not covered by Warranty are strings, cables, cable guard slides, bushings, paint and finish. There are no other warranties expressed or implied binding Darton Archery, its dealers or distributors. For complete Warranty information, customer service or technical assistance, please call or write:

Darton Archery – 3540 Darton Rd, Hale, MI 48739  
Customer Orders/Inquiries: 989.728.4231

Phone: 989.728.4231. Fax: 989.728.2410  
Warranty/Repair: 989.728.9511

To purchase online or get the latest product information, news and updates, visit our website [www.dartonarchery.com](http://www.dartonarchery.com)  
©Copyright 2015, Darton Archery. All rights reserved. Darton Archery reserves the right to change product, prices, models, features, material and specifications without notice.